

**TRADEWINDS®****POWER CORP**5820 NW 84th Avenue • Miami Florida 33166
Tel 305 592 9745 • FAX 305 592 7461Filters
Pump Sets
Power Units
Generator Sets
Automatic Engine Controls**TO: The Village of Wellington**
14001 Pierson Road
Wellington, FL 33414
Mr. Evan Carver
Tel: (561)-313-4686**Quotation # AV26455Q**
October 8, 2025**250 kw Generator Set**

We are pleased to offer this Quotation as detailed below

Amount	Description	Each	Extended
1	Model T125 Base Awarded Tradewinds Generator Set under FSA contract No. FSA23-EQU21.1, Specification #155	82,627	82,627
1	Upgrade to Model T250-UL-FS Tradewinds 250 KW Generator Set 250 KW (312.5 KVA) Emergency Standby Power 120/208 Volts [reconnectable], 60 Hz, Three Phase, 0.8 Power Factor Amp Load Capacity: 868; Load Bank tested. John Deere Diesel engine, Model 6090HF485 Tier-3 @ 1800 RPM complete with 12 Volt Electrics, Radiator & Guard Marathon Oversized Brushless Single Bearing Alternator with PMG and DVR 2400 Automatic Voltage Regulator, Space Heaters & Vibration Mounts Tradewinds Deluxe Digital Instrument/Control Panel with Safety Shutdowns Complete with DC Voltmeter, Hour meter, Oil and Temperature Gauges Frequency Meter, Ammeter & Voltmeter with Phase Selector Switch, Engine Cool Down Timer, Remote "E" Stop Contacts, Remote Auto Start Control, Low Fuel Level Alarm, J - 1939 Code readout, NFPA 110 Compliant, On/off Switch, 3 D.C. Breakers, 1 A.C. Breaker, and Emergency Push Button. Equipment included in above pricing: Battery Rack and Cables Battery Charger installed and wired to duplex electrical box that is wired to incoming service feed with fuses. Critical Silencer mounted in front of package with vertical discharge Discharge with Steel Exhaust and Flex Exhaust Connection Initial fill of oil and antifreeze Water and Oil drain lines with brass ball valves located inside enclosure. Heavy Duty Canister Type Air Cleaner Jacket Water Heater, Thermostatically controlled installed and wired to Duplex electrical box that is wired to incoming service feed with fuses. 500 gallon Double Wall, UL Approved Subbase Fuel Tank With Leak Detection Mechanical fuel level gauge, low fuel level alarm and sender, internal fuel fill, two part epoxy coating, and all other necessary fittings. Enclosure constructed from a continuous roof, .090 aluminum, White powder coat paint, stainless steel hardware, and keyed alike doors. Doors swing out with hinges. 1,000 amp, Circuit Breaker main Disconnect 80% rated UL, shunt trip Full Load Factory test One (1) complete operation and maintenance manual Two (2) year, Standby Warranty	57,248	57,248
1	TSCD-02-FS Net Cost Adder Control Panel for Supervisory Controls and Data Acquisition (SCADA) with dry contacts interface on NEMA box.	1,779	1,779
1	T-1000tank-FS Optional Equipment Upgrade UL142 Double Wall Base tank to 1,100 gallons w/ FDEP Package	13,027	13,027
Total for cost of generator:			154,681
	Model T125 Base Awarded Tradewinds Generator Set under FSA contract No. FSA23-EQU21.1, Specification #155 Credit-downgrade - IT801-1200-FS . This value is to determine the net cost per amp for the removal and new installation (\$82,627.00 - \$82,486.00 = \$141.00) Installation of generator power consist of disconnect wires and removal of old unit, set and reconnect wires, install new generator with rubber lining on existing concrete pad and perform a start-up on the Unit. Size of Main Line Circuit Breaker on the new unit is 1,000 amps Total cost for install is determined by multiplying size of main breaker x cost per AMP. (1,000 x \$141.00) for install. Cost deduct due to site specific requirments and the ability to reuse customer existing concrete pad, NO Permit needed, other existing mounting fixtures and hardware. Costumer discount	82,627 -82,486	*Diff \$141.00
	Sub Total, Ex-works our warehouse, Miami, Florida Onsite Start-up and building load test. Fuel by others. Delivery to the City of Wellington, FL. Off-Loading by others. Total State & Local Tax as Applicable	*141,000 -108,581	32,419
	Estimated Shipping date from receipt of order: 23 Weeks.		-6,188
			180,912
		Inc. Inc.	Inc. Inc.
			180,912

Price Validity: 15 days; 25% Cancellation Charge for Restocking.

Wire-Transfer: Tradewinds Power Corp Division of Southeast Power Group

F/B/O SouthState Bank