
Exhibit F – Site Furniture



Colors and/or Options: Please see manufacturer website at www.anovafurnishings.com.

Finish: Receptacle: Protected by patented Fusion Advantage™, a heat fused plastisol coating that creates an impervious rustproof barrier and resists UV deterioration, mildew, staining and fading. Bonnet Top: Fade-resistant, powder coated steel features a state-of-the-art primer proven to prevent rusting.

Material: Composed of 12-gauge steel with a .75" gap vertical slotted pattern and a 16-gauge galvannealed steel contour top. Reusable plastic liner is made of high-density polyethylene.

Capacity: 40-gallon.

Unit Weight: 114 lbs.

Assembly: Receptacle ships fully assembled and ready for use. Using an optional anchor may require some assembly. Structural Warranty: Limited 20-year warranty.

Finish Warranty: Fusion Advantage : 7-year warranty against fading, rusting, peeling, chipping, cracking, mold, mildew and defects in materials and/or workmanship. Powder Coat: 3-year warranty against rusting, peeling, chipping, cracking, mold, mildew and defects in materials and/or workmanship. 7-year warranty against fading.


NOTES:

1. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.

2. DO NOT SCALE DRAWING.

- 3. THIS DRAWING IS INTENDED FOR USE BY ARCHITECTS, ENGINEERS, CONTRACTORS, CONSULTANTS AND DESIGN PROFESSIONALS FOR PLANNING PURPOSES ONLY. THIS DRAWING MAY NOT BE USED FOR CONSTRUCTION.
- ALL INFORMATION CONTAINED HEREIN WAS CURRENT AT THE TIME OF DEVELOPMENT BUT MUST BE REVIEWED AND APPROVED BY THE PRODUCT MANUFACTURER TO BE CONSIDERED ACCURATE.
- CONTRACTOR'S NOTE: FOR PRODUCT AND COMPANY INFORMATION VISIT www.CADdetails.com/info AND ENTER REFERENCE NUMBER SP-3 SIT





FRONT ELEVATION

Colors and/or Options: Please see manufacturer website at www.anovafurnishings.com.

Finish: Seat: Protected by patented Fusion Advantage M, a heat fused plastisol coating that creates an impervious rustproof barrier and resists UV deterioration, mildew, staining and fading. Legs/Under Supports: Fade-resistant, powder coated aluminum features a state-of-the-art primer proven to prevent rusting.

. Material: 12-gauge steel slat seat with a .75" wide slot pattern and cast aluminum legs.

Capacity: 200 lbs. per linear foot.

Unit Weight: 148 lbs.

Assembly: Some assembly is required. Stainless steel assembly hardware is included. Structural Warranty: Limited 20-year warranty.

Finish Warranty: Fusion Advantage : 7-year warranty against fading, rusting, peeling, chipping, cracking, mold, mildew and defects in materials and/or workmanship. Powder Coat: 3-year warranty against rusting, peeling, chipping, cracking, mold, mildew and defects in materials and/or workmanship. 7-year warranty against fading.

NOTES:

1. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.

2. DO NOT SCALE DRAWING.

- 3. THIS DRAWING IS INTENDED FOR USE BY ARCHITECTS, ENGINEERS, CONTRACTORS, CONSULTANTS AND DESIGN PROFESSIONALS FOR PLANNING PURPOSES ONLY. THIS DRAWING MAY NOT BE USED FOR CONSTRUCTION.
- 4. ALL INFORMATION CONTAINED HEREIN WAS CURRENT AT THE TIME OF DEVELOPMENT BUT MUST BE REVIEWED AND APPROVED BY THE PRODUCT MANUFACTURER TO BE CONSIDERED ACCURATE.
- 5. CONTRACTOR'S NOTE: FOR PRODUCT AND COMPANY INFORMATION VISIT www.CADdetails.com/info AND ENTER REFERENCE NUMBER SP-3 SIT



