

# Exhibit C Proposed Signs




## SIGNAGE INFORMATION

**BWW WELLINGTON, FL**  
**REMODEL**


PAGE TITLE:

LOCATION:

05/17/23



**LOGO CHANNEL:**  
RETURNS & RETAINERS: BLACK  
NOTE: IF CUSTOM LOGO SIZE OF 36" or LESS IS REQUIRED, RETAINER WILL BE TRIM-CAP PAINTED TO MATCH RETURNS  
**CIRCULAR FACE:** WHITE POLYCARBONATE w/ FIRST SURFACE TRANSLUCENT VINYL DECORATION.  
**ILLUMINATION:** VIA SloanLED Prism (White)  
**CHANNEL LETTERS:**  
FACES: #7328 WHITE ACRYLIC BANDED W/A 1" BLACK TRIM CAP.  
RETURNS OF LETTERS PAINTED BLACK ON ALL EXTERIOR SURFACES  
ILLUMINATION: VIA SloanLED Prism (White)  
CHANNEL LETTERS MOUNTED TO A 2" DEEP ALUMINUM PAN PAINTED BLACK. PAN WILL HOUSE ALL LETTER TO LETTER SECONDARY WIRING.




## END VIEW

Duronodic Vinyl Border  
Translucent White Border  
Metal Retainer


GC TO PROVIDE 1/2" DIA. CONDUIT WITH PRIMARY WIRING ALL THE WAY THROUGH WALL INCLUDING METAL WALL PANELS IN ORDER TO CONNECT TO SELF-CONTAINED POWER SUPPLIES WITHIN LOGO CABINET

**NOTE:**  
GC TO PROVIDE ADEQUATE BEHIND THE WALL BACKING AND ACCESS AS REQUIRED.

POWER SUPPLIES HOUSED IN TRANSFORMER BOXES BEHIND WALL. PRIMARY ELECTRIC TO SIGN SITE (BY GC)



## Color Breakdown | Logo



SIGN TYPE	A	B	C	D	E	F	G	H	I	J	K	L (PAN)	M (PAN)	SQ.FT. (GRAPHICS ONLY) (MAX)	SQ.FT. (GRAPHICS ONLY) (MIN)
CW-NM96-W	14'-2"	8'-0"	8'-0"	5'-8 3/4"	7'-3"	15"	26"	20"	2"	1 1/4"	4 3/4"	5'-4"	7'-1"	113.2	102.8
CW-NM84-W	12'-6"	7'-0"	7'-0"	4'-11 1/2"	6'-3 1/4"	13"	22 1/2"	17 1/2"	1 3/4"	1"	4 1/4"	4'-8"	6'-2"	87.5	79.8
CW-NM72-W	10'-9"	6'-0"	6'-0"	4'-3 1/2"	5'-5 1/4"	11 1/4"	19 1/2"	15"	1 1/2"	7/8"	3 1/2"	4'-0"	5'-3"	64.0	58.0
CW-NM60-W	8'-10"	5'-0"	5'-0"	3'-6 1/4"	4'-5 1/2"	9 1/4"	16"	12 1/4"	1 1/4"	3/4"	3"	3'-4"	4'-4"	44.3	34.3
CW-NM48-W	7'-1"	4'-0"	4'-0"	2'-10 1/4"	3'-7 1/2"	7 1/2"	13"	10"	1"	5/8"	2 1/4"	2'-7"	3'-5"	28.3	25.7





OPTION A (WHITE)


# BUFFALO WILD WINGS

OPTION B (BLACK)

CC-BWW22 (SCALE: 1/4" = 1'-0")

## RECOMMENDED LETTER FACE COLORS

- On Light Colored Fascia's (Backgrounds) Use Black Faces
- On Dark Colored Fascia's (Backgrounds) Use White



#7328 | WHITE ACRYLIC (Translucent)



#5590-122 | PERFORATED BLACK VINYL

### OPTION A

BLACK RETURNS | BLACK TRIM-CAP | WHITE FACES

### OPTION B

WHITE RETURNS | BLACK TRIM-CAP | BLACK FACES


NOTE: This Option will Utilize a Dual-Color Film so Letters Will Appear Black in the Day and White at Night.

White #7328 Acrylic Face, DualColor Film First Surface

TYPE	A	B	SQ.FT.
CC-BWW36	3'-0"	42'-0"	126.0
CC-BWW30	2'-6"	35'-0"	87.5
CC-BWW24	2'-0"	28'-0"	56.0
CC-BWW22	1'-10"	25'-9"	47.1
CC-BWW20	1'-8"	23'-4"	38.9
CC-BWW18	1'-6"	21'-0"	31.5
CC-BWW15	1'-3"	17'-6"	21.8
CC-BWW12	1'-0"	14'-0"	14.0

NOTE:  
GC TO PROVIDE  
ADEQUATE BEHIND THE  
WALL BACKING AND  
ACCESS AS REQUIRED.

NOTE:  
GC TO SEAL ANY SIGN  
RELATED PENETRATIONS  
ABOVE THE ROOF AND  
THROUGH MEMBRANE  
ROOFING OR EQUIVALENT.



SECTION DETAIL - LED ILLUMINATED WALL LETTERS

SIGNAGE INFORMATION


BWW WELLINGTON, FL  
REMODEL

PAGE TITLE:


LOCATION:

05/17/23







FH TO PROVIDE .040" ALUMINUM SEAM TABS FOR INSIDE OF LIGHT SHIELDS FOR ALIGNMENT OF SEAMS & TO ELIMINATE LIGHT LEAKS. FH TO PROVIDE TABS WITH VHB TAPE ON ONE SIDE OF SEAMS ONLY. INSTALLER WILL ATTACH TAB TO OTHER SIDE OF SEAM WITH SELF-TAPPING SCREWS PAINTED TO MATCH LIGHT SHIELD. FH TO PROVIDE PRE PAINTED SCREWS.



FH PROVIDED TABE WITH VHB TAPE, THIS SIDE ONLY

INSTALLER TO ATTACH ALUMINUM SEAM TAB FOR SHIELD ALIGNMENT TO INSIDE OF SHIELD WITH FH PROVIDED PRE-PAINTED, SELF-TAPPING SCREWS



TEN (10) ROWS OF TRUE YELLOW SLOAN BRAND LEDStripe PART # 701189-YT

SHROUDED LED BAND ONLY AT TOP PORTION OF EXISTING ENTRY TOWER

THIS PARTICULAR PROJECT DOES NOT HAVE STONE VENEER (THIS IS ONLY IMAGE FOUND WITH THIS TYPE OF INDIRECT SHROUDED LED BAND)



## SIGNAGE INFORMATION

**BWW WELLINGTON, FL**  
**REMODEL**

PAGE TITLE:

LOCATION:

05/17/23