



By Planning and Zoning at 3:04 pm, Jun 05, 2018

Figure 10.10 shows three horizontal dimension lines. The top line is labeled 40'-0". The middle line is labeled 20'-0". The bottom line is labeled 16'-6 3/4".



DESIGNED IN COMPLIANCE 2017 FLORIDA BUILDING CODE, 6th EDITION SECTION 1620 AND APPENDIX H AND ASCE 7-10
V(ULT) WIND SPEED 170 MPH • EXPOSURE CLASSIFICATION = C • RISK CATEGORY = II
DESIGN PRESSURE 38.5 PSF

Dynamic Engineering Solutions, Inc.
John H. Omslaer, PE 52733, EB 26829
351 S. Cypress Road, Suite 303 • Pompano Beach, FL 33060

<div> McNeill Signs, Inc. </div>					NAME	SIMON ORTHODONTICS		APPROVAL
	JOB NAME	SIMON ORTHODONTICS		COMP.				
	ADDRESS	16200 FOREST HILL BLVD, WELLINGTON, FL						
	DESIGNER	DWG NO.	SALES REP.					
	M.B.	18325	ALLIE					
			DATE					
			06/05/18					
This design is the property of McNeill Signs, Inc. and may not be reproduced without permission.								
555 S. DIXIE HWY, EAST, POMPANO BEACH, FL 33060 BROW. (954) 946-3474 PALM BCH (561) 737-6304 DADE (305) 947-0631								
FAX (954) 946-8051		WEB SITE - www.mcneillsigns.com		SALES DEPT. E-MAIL - sales@mcneillsigns.com				