

Mary & Brian Dunning
Native Plant Landscape List (front yard only)
1616 Rye Terrace, Wellington Florida

Simpson Stopper

Myrcianthes fragrans

BD, BF, BE

<https://www.fnps.org/plants/plant/myrcianthes-fragrans>

Jamaica Caper

Quadrella jamaicensis

BD, BF, BE

<https://www.fnps.org/plants/plant/quadrella-jamaicensis>

Red Maple

Acer rubrum

BD, BF

<https://www.fnps.org/plants/plant/acer-rubrum>

Wild Coffee (Shiny Leaf)

Psychotria nervosa

BD, BF

<https://fnps.org/plants/plant/psychotria-nervosa>

Myrsine

Myrsine cubana

BD

<https://www.fnps.org/plants/plant/myrsine-cubana>

Bahama Wild Coffee

Psychotria ligustrifolia

BD

<https://www.fnps.org/plants/plant/psychotria-ligustrifolia>

Marlberry

Ardisia escallonioides

BD. Hurricane Resistant

<https://www.fnps.org/plants/plant/ardisia-escallonioides>

Beach Creeper

Rubiaceae

BD, BF

<https://www.fnps.org/plants/plant/ernodea-littoralis>

Dotted Horsemint

Monarda punctata

BD, BF.

<https://www.fnps.org/plants/plant/monarda-punctata>

East Coast Dune Sunflower

Helianthus debilis

BF, BD, BE

<https://www.fnps.org/plants/plant/helianthus-debilis>

Twinflower

Dyschoriste oblongifolia

BF. Larval host common buckeye

<https://www.fnps.org/plants/plant/dyschoriste-oblongifolia>

Silkgrass

Pityopsis graminifolia

BF

<https://www.fnps.org/plants/plant/pityopsis-graminifolia>

Fogfruit

Phyla nodiflora

BF. Larval host Phaon Crescent, White Peacock, Common Buckeye.

<https://www.fnps.org/plants/plant/phyla-nodiflora>

Sand Cordgrass

Spartina bakeri

<https://www.fnps.org/plants/plant/spartina-bakeri>

Havana Scullcap

Scutellaria havanensis

Found naturally only in Miami-Dade County. Listed as a State endangered species, but not Florida endemic. Occurs on islands of Cuba, Bahamas, and Puerto Rico.

<https://www.regionalconservation.org/beta/nfyn/plantdetail.asp?tx=Scuthava>

Elliott's Lovegrass

Eragrostis elliottii

BD, BF. Larval host zabulon skipper.

<https://www.fnps.org/plants/plant/eragrostis-elliottii>

Black-Eyed Susan

Rudbeckia hirta

<https://www.fnps.org/plants/plant/rudbeckia-hirta>

Seaside Goldenrod

Solidago sempervirens

BF

<https://www.fnps.org/plants/plant/solidago-sempervirens>

Corkystem passion-flower

Passiflora suberosa

BF. Larval host Gulf Fritillary, Julia Heliconian, Zebra Heliconian

<https://www.fnps.org/plants/plant/passiflora-suberosa>

Yellow top

Flaveria linearis

BF, BE

<https://www.fnps.org/plants/plant/flaveria-linearis>

Sunshine Mimosa

Mimosa strigillosa

BF, BE. Larval host little sulfur butterfly

<https://www.fnps.org/plants/plant/mimosa-strigillosa>

Marsh Fern

Thelypteris palustris

https://www.wildflower.org/plants/result.php?id_plant=THPA

Golden Polypody Fern (aka cabbage palm fern)

Phlebodium aureum

Only species of *Phlebodium* found in North America

https://en.wikipedia.org/wiki/Phlebodium_aureum

Wild Boston Fern

Nephrolepis exaltata

BF May serve as host plant for Monarch butterfly

<https://www.fnps.org/plants/plant/nephrolepis-exaltata>

Coontie

Zamia integrifolia

Larval host for atala butterfly and the Echo moth.

<https://www.fnps.org/plants/plant/zamia-integrifolia>

Firebush

Hamelia patens

BD, BF

<https://www.fnps.org/plants/plant/hamelia-patens>

Scarlet Sage (tropical sage, blood sage)

Salvia coccinea

BF, BD. Hummingbird nectar, Painted Bunting eats seeds

<https://www.fnps.org/plants/plant/salvia-coccinea>

Lyre-leaved Sage

Salvia lyrata

Attracts hummingbirds, butterflies and bees.

<https://www.fnps.org/plants/plant/salvia-lyrata>

Crinum americanum

string lily, swamp lily

BF. Larval host Spanish moth

<https://www.fnps.org/plants/plant/crinum-americanum>

Beautyberry

Callicarpa americana

BD, BF, BE

<https://www.fnps.org/plants/plant/callicarpa-americana>

Bald Cypress

Taxodium distichum

BD, BF. Attracts seed-eating birds. Valuable as roosting and nesting areas for colonial wading birds. Larval host for baldcypress sphinx (*Isoparce cupressi*) moth.

Hurricane wind resistance

<https://www.fnps.org/plants/plant/taxodium-distichum>

Pond Cypress

Taxodium ascendens

BD Seeds are used by some mammals and seed-eating birds.

Hurricane wind resistance

<https://www.fnps.org/plants/plant/taxodium-ascendens>

Eastern Red Cedar

Juniperus virginiana

BD

Hurricane wind resistance

<https://www.fnps.org/plants/plant/juniperus-virginiana>

Saw Palmetto (silver)

Serenoa repens

BF, BD. Monk Skipper and Palmetto Skipper butterflies. **Plant species most highly used by Florida wildlife.**

Hurricane wind resistance

<https://www.fnps.org/plants/plant/serenoa-repens>

Buttonwood

Conocarpus erectus

BF. Larval host Martial Scrub Hairstreak and Tantalus Sphinx

<https://www.fnps.org/plants/plant/conocarpus-erectus>

WILDLIFE TYPE ABBREVIATIONS

BF = Butterfly BD = Bird BE = Bee