

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
PUBLIC POOL AND BATHING PLACE  
INSPECTION REPORT



1 of 2

**Facility Information**

**RESULT: Satisfactory**

Permit Number: 50-60-04165  
Name of Facility: Wellington - Comm. Aquatic Center Pool  
Address: 12072 Forest Hill Boulevard  
City, Zip: Wellington 33414

**Correct By: None**  
**Re-Inspection Date: None**

Type: Public Pool > 25000 Gallons  
Owner: Village of Wellington  
Person In Charge: Etter, Theodore Phone: (561)753-2497  
PIC Email: TETter@wellingtonfl.gov  
Pool Operator: Village of Wellington Staff Phone: 561-753-2497

**Inspection Information**

Purpose: Routine  
Inspection Date: 7/28/2020

Begin Time: 09:30 AM  
End Time: 10:10 AM

**Additional Information**

22. Free Chlorine .....	7.6	VOLUME .....	587500
23. pH .....	7.7	POOL LOAD .....	336
24. Chlor. Stabilizer .....	7	FLOW RATE .....	1680
33. Flowmeter .....	1752	NIGHT SWIM .....	No
34. Thermometer .....	81	FILTER TYPE .....	SP

Items checked are not in compliance with Chapter 386 or 514, Florida Statutes, or Chapter 64E-9 or 64E-10, Florida Administrative Code. These violations must be corrected by the date indicated to avoid closure, administrative fines, or other legal actions. Florida Building Code (FBC) violations are reported to the local building official, and depending upon risk severity, the Department of Health may close the pool or rescind the operating permit.

**Violation Markings**

POOL AREA	17. Rules Posted	32. Vacuum Cleaner-FBC
1. Water Clarity/Algae Control	18. Certification	33. Flowmeter
2. Deck/Walkways	SANITARY FACILITIES	34. Thermometer
3. Tile/Pool Finish	19. Supplies 64E-10, FAC	35. Pressure/Vacuum Gauge
4. Depth Markers-FBC	20. Clean 64E-10, FAC	36. Equip. Room
5. Handrail/Ladder-FBC	WATER QUALITY	37. Cross Connection
6. Step Markings-FBC	21. Approved Test Kit	38. Gas Chlorine Eq.-FBC
7. Suction Outlets-514.0315(1)	22. Free Chlor./Brom.	39. Waste Water - FBC
8. Gutter Grates/Skimmer-FBC	23. pH	40. D.E. Separator-FBC
9. Lighting	24. Chlor. Stabilizer	41. Other Equipment
10. No Dive Markings-FBC	25. Spa Requirements-ORP	42. Equip. Change-FBC
11. Diving Board-FBC	EQUIPMENT ROOM	43. Approved Chemicals
12. Pool Cover	26. Wading Pool-Quick Dump	44. Maintenance Log
13. Pool Side Shower-FBC	27. Water Level/Control	45. Inspection Posted
POOL SAFETY	28. Disinfection Feeder/Generator	46. Safety-514.0315(2)
14. Life Hook(s) w/Pole	29. pH Feeder	47. Fences/Gates- FBC
15. Life Ring(s) w/Rope	30. Chem. Container Label-FBC	48. Other
16. Safety Line	31. Filter / Pump	49. Other

NOTE: It is unlawful to modify a public pool or its equipment without prior approval from the local building department and submitting an application to DOH.

Inspector Signature:

*Anthony Kim*

Client Signature:

*Emailed*

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
PUBLIC POOL AND BATHING PLACE  
INSPECTION REPORT



1 of 2

**Facility Information**

**RESULT: Satisfactory**

Permit Number: 50-60-03315  
Name of Facility: Wellington - Play  
Address: 12072 W Forest Hill Boulevard  
City, Zip: Wellington 33414

**Correct By: None**  
**Re-Inspection Date: None**

Type: Water Activity  
Owner: Village of Wellington  
Person In Charge: Etter, Theodore Phone: 561-753-2497  
PIC Email: TETter@wellingtonfl.gov  
Pool Operator: Village of Wellington Staff Phone: 561-753-2497

**Inspection Information**

Purpose: Routine  
Inspection Date: 7/28/2020

Begin Time: 10:40 AM  
End Time: 10:55 AM

**Additional Information**

22. Free Chlorine ..... 9.8	VOLUME ..... 3000
23. pH ..... 7.3	POOL LOAD ..... 188
24. Chlor. Stabilizer ..... 2	FLOW RATE ..... 146
33. Flowmeter ..... 146	NIGHT SWIM ..... No
34. Thermometer ..... 86	FILTER TYPE ..... SP

*Items checked are not in compliance with Chapter 386 or 514, Florida Statutes, or Chapter 64E-9 or 64E-10, Florida Administrative Code. These violations must be corrected by the date indicated to avoid closure, administrative fines, or other legal actions. Florida Building Code (FBC) violations are reported to the local building official, and depending upon risk severity, the Department of Health may close the pool or rescind the operating permit.*

**Violation Markings**

<b>POOL AREA</b> 1. Water Clarity/Algae Control 2. Deck/Walkways 3. Tile/Pool Finish 4. Depth Markers-FBC 5. Handrail/Ladder-FBC 6. Step Markings-FBC 7. Suction Outlets-514.0315(1) 8. Gutter Grates/Skimmer-FBC 9. Lighting 10. No Dive Markings-FBC 11. Diving Board-FBC 12. Pool Cover 13. Pool Side Shower-FBC <b>POOL SAFETY</b> 14. Life Hook(s) w/Pole 15. Life Ring(s) w/Rope 16. Safety Line	17. Rules Posted 18. Certification <b>SANITARY FACILITIES</b> 19. Supplies 64E-10, FAC 20. Clean 64E-10, FAC <b>WATER QUALITY</b> 21. Approved Test Kit 22. Free Chlor./Brom. 23. pH 24. Chlor. Stabilizer 25. Spa Requirements-ORP <b>EQUIPMENT ROOM</b> 26. Wading Pool-Quick Dump 27. Water Level/Control 28. Disinfection Feeder/Generator 29. pH Feeder 30. Chem. Container Label-FBC 31. Filter / Pump	32. Vacuum Cleaner-FBC 33. Flowmeter 34. Thermometer 35. Pressure/Vacuum Gauge 36. Equip. Room 37. Cross Connection 38. Gas Chlorine Eq.-FBC 39. Waste Water - FBC 40. D.E. Separator-FBC 41. Other Equipment 42. Equip. Change-FBC 43. Approved Chemicals 44. Maintenance Log 45. Inspection Posted 46. Safety-514.0315(2) 47. Fences/Gates- FBC 48. Other 49. Other
---	---	--

**NOTE:** It is unlawful to modify a public pool or its equipment without prior approval from the local building department and submitting an application to DOH.

**Inspector Signature:**

*Thomas J. Allen*

**Client Signature:**

*email*

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
PUBLIC POOL AND BATHING PLACE  
INSPECTION REPORT



1 of 2

**Facility Information**

**RESULT: Satisfactory**

Permit Number: 50-60-02929  
Name of Facility: Wellington - WADER  
Address: 12072 Forest Hill Boulevard  
City, Zip: Wellington 33414

**Correct By: Next Inspection**  
**Re-Inspection Date: None**

Type: Wading Pool  
Owner: Village of Wellington  
Person In Charge: Etter, Theodore Phone: (561) 753-2497  
PIC Email: TEtter@wellingtonfl.gov  
Pool Operator: Village of Wellington Staff Phone: 561-753-2497

**Inspection Information**

Purpose: Routine  
Inspection Date: 7/28/2020

Begin Time: 10:10 AM  
End Time: 10:25 AM

**Additional Information**

22. Free Chlorine ..... 7.7	VOLUME ..... 550
23. pH ..... 7.8	POOL LOAD ..... 13
24. Chlor. Stabilizer ..... 5	FLOW RATE ..... 50
33. Flowmeter ..... 60	NIGHT SWIM ..... No
34. Thermometer ..... 85	FILTER TYPE ..... CP

Items checked are not in compliance with Chapter 386 or 514, Florida Statutes, or Chapter 64E-9 or 64E-10, Florida Administrative Code. These violations must be corrected by the date indicated to avoid closure, administrative fines, or other legal actions. Florida Building Code (FBC) violations are reported to the local building official, and depending upon risk severity, the Department of Health may close the pool or rescind the operating permit.

**Violation Markings**

POOL AREA	17. Rules Posted	32. Vacuum Cleaner-FBC
1. Water Clarity/Algae Control	18. Certification	33. Flowmeter
2. Deck/Walkways	SANITARY FACILITIES	34. Thermometer
3. Tile/Pool Finish	19. Supplies 64E-10, FAC	35. Pressure/Vacuum Gauge
4. Depth Markers-FBC	20. Clean 64E-10, FAC	36. Equip. Room
5. Handrail/Ladder-FBC	WATER QUALITY	37. Cross Connection
6. Step Markings-FBC	21. Approved Test Kit	38. Gas Chlorine Eq.-FBC
7. Suction Outlets-514.0315(1)	22. Free Chlor./Brom.	39. Waste Water - FBC
8. Gutter Grates/Skimmer-FBC	23. pH	40. D.E. Separator-FBC
9. Lighting	24. Chlor. Stabilizer	41. Other Equipment
10. No Dive Markings-FBC	25. Spa Requirements-ORP	42. Equip. Change-FBC
11. Diving Board-FBC	EQUIPMENT ROOM	43. Approved Chemicals
12. Pool Cover	26. Wading Pool-Quick Dump	44. Maintenance Log
13. Pool Side Shower-FBC	27. Water Level/Control	45. Inspection Posted
POOL SAFETY	28. Disinfection Feeder/Generator	46. Safety-514.0315(2)
14. Life Hook(s) w/Pole	29. pH Feeder	47. Fences/Gates- FBC
15. Life Ring(s) w/Rope	30. Chem. Container Label-FBC	X 48. Other
16. Safety Line	31. Filter / Pump	49. Other

NOTE: It is unlawful to modify a public pool or its equipment without prior approval from the local building department and submitting an application to DOH.

Inspector Signature:

*Ameyan*

Client Signature:

*emailed*

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
PUBLIC POOL AND BATHING PLACE  
INSPECTION REPORT



1 of 2

**Facility Information**

**RESULT: Satisfactory**

Permit Number: 50-60-03531  
Name of Facility: Wellington - Plunge Pool  
Address: 12072 Forest Hill Boulevard  
City, Zip: Wellington 33414

**Correct By: Next Inspection**  
**Re-Inspection Date: None**

Type: Water Activity  
Owner: Village of Wellington  
Person In Charge: Etter, Theodore Phone: (561) 753-2497  
PIC Email: TEtter@wellingtonfl.gov  
Pool Operator: Village of Wellington Staff Phone: 561-753-2497

**Inspection Information**

Purpose: Routine  
Inspection Date: 7/28/2020

Begin Time: 10:25 AM  
End Time: 10:40 AM

**Additional Information**

22. Free Chlorine ..... 6.2	VOLUME ..... 22838
23. pH ..... 7.8	POOL LOAD ..... 25
24. Chlor. Stabilizer ..... 5	FLOW RATE ..... 127
33. Flowmeter ..... 125	NIGHT SWIM ..... No
34. Thermometer ..... 86	FILTER TYPE ..... SP

Items checked are not in compliance with Chapter 386 or 514, Florida Statutes, or Chapter 64E-9 or 64E-10, Florida Administrative Code. These violations must be corrected by the date indicated to avoid closure, administrative fines, or other legal actions. Florida Building Code (FBC) violations are reported to the local building official, and depending upon risk severity, the Department of Health may close the pool or rescind the operating permit.

**Violation Markings**

POOL AREA	17. Rules Posted	32. Vacuum Cleaner-FBC
1. Water Clarity/Algae Control	18. Certification	33. Flowmeter
2. Deck/Walkways	SANITARY FACILITIES	34. Thermometer
3. Tile/Pool Finish	19. Supplies 64E-10, FAC	35. Pressure/Vacuum Gauge
X 4. Depth Markers-FBC	20. Clean 64E-10, FAC	36. Equip. Room
5. Handrail/Ladder-FBC	WATER QUALITY	37. Cross Connection
6. Step Markings-FBC	21. Approved Test Kit	38. Gas Chlorine Eq.-FBC
7. Suction Outlets-514.0315(1)	22. Free Chlor./Brom.	39. Waste Water - FBC
8. Gutter Grates/Skimmer-FBC	23. pH	40. D.E. Separator-FBC
9. Lighting	24. Chlor. Stabilizer	41. Other Equipment
10. No Dive Markings-FBC	25. Spa Requirements-ORP	42. Equip. Change-FBC
11. Diving Board-FBC	EQUIPMENT ROOM	43. Approved Chemicals
12. Pool Cover	26. Wading Pool-Quick Dump	44. Maintenance Log
13. Pool Side Shower-FBC	27. Water Level/Control	45. Inspection Posted
POOL SAFETY	28. Disinfection Feeder/Generator	46. Safety-514.0315(2)
14. Life Hook(s) w/Pole	29. pH Feeder	47. Fences/Gates- FBC
15. Life Ring(s) w/Rope	30. Chem. Container Label-FBC	48. Other
16. Safety Line	31. Filter / Pump	49. Other

NOTE: It is unlawful to modify a public pool or its equipment without prior approval from the local building department and submitting an application to DOH.

Inspector Signature:

*Anthony P. Khan*

Client Signature:

*emailed*